

# S Series


Outdoor Rental LED Display

**FOCONO**

Your Local  
LED  
Application



## LIGHT AND THINNER



Decrease the transportation and labor cost.


## LESS NOISE DESIGN



Air fan free to  
eliminate the noise.



## FAST ASSEMBLING



The side-lock assures the cabinet joint within 8 seconds.

## MISTAKE TRACKING SYSTEM



Visible mistake tracking function.



# 4"H" PERFORMANCE



Vivid picture



High refresh rate

High brightness: 6000nits ;  
High gray scale: 65536 levels ;  
High refresh rate: 2000Hz;  
High contrast ratio.

## PARAMETERS

Value	S6	S8
Pixel pitch	6.25mm	8.33mm
Brightness	5000 nits	5000 nits
Pixel configuration	SMD	SMD
Colours	281 trillion	281 trillion
Refresh rate	≥1920	≥1920
Pixel matrix per panel	80X80	60X60
Pixel matrix per sq.m	25600	14400
Viewing angle ( H/V)	140/140 deg.	140/140 deg.
Power consumption (max/avg)	800/280 W/sq.m	800/280 W/sq.m
IP rate	IP65/IP43	IP65/IP43
Input voltage (AC)	110/240	110/240
Panel size(L x W x H)	500X500X80mm	500X500X80mm
Panel weight	8.9kgs	8.9kgs

## Applications

Outdoor commercial advertising,  
sport, event, concert,  
musical festival, wntertainment etc.  
rental occasions.

